



Flood Risk Review (FRR) Camden County, Missouri

First FRR Meeting – March 8, 2025
Second FRR Meeting – March 28, 2025





Our Agenda

Project Goals;

Where We've Been;

Where We Are;

Where We're Going;

Flood Risk Review #2 (FRR#2) Meeting Agenda

- Project Goals
- Where We've Been
 - Data and Processes used to develop Flood Risk Data #1
- Where We Are
 - New Data and Updated Flood Risk Data #2
- Where We're Going
 - Review of Flood Risk Review Data #2
 - 30 Day Comment Period – an opportunity for input on the updated data
 - How to make comments: Outreach Site, email, phone call, postal mail
 - Future Production of Preliminary Maps and Flood Insurance Study
 - Post Preliminary Processing – Due Process and Final Mapping
 - Additional Flood Risk Products (Rasters)

Website to view Draft Data: <http://bit.ly/MOSEMAOutreach>

or on smart phone or tablet: http://bit.ly/mobile_MOSEMAOutreach



For questions contact:

Sydney Roberts
sydney.roberts@sema.dps.mo.gov 573-526-9383
or Stephen Noe
stephen.no@wsp.com (cell) 615-430-0456

Introductions

- **FEMA Region 7 – Federal Emergency Management Agency**

- Dawn Livingston – Regional Project Officer
- Andy Megrail – CTP Program Supervisor


- **Missouri SEMA – State Emergency Management Agency**

- Sydney Roberts – Floodplain Engineering and Mapping Section Manager
- Patrick Lower – Floodplain Mapping Technical Assistant
- Jacob Wornson – GIS Floodplain Mapping Technical Assistant

- **WSP USA – SEMA Mapping Partner**

- Stephen Noe – Program Manager
- Alicia Williams – Associate Project Manager
- Ben Rufenacht – Lead Engineer

- **And You!**



Current Effective Maps

Camden County Effective Map Date is April 18, 2018.

Camden County Jurisdictions

- Camden County (Unincorporated Areas)
- Camdenton
- Four Seasons
- Laurie (Morgan Co.)
- Linn Creek
- Osage Beach
- Richland (Pulaski Co.)
- Stoutland (Laclede Co.)
- Sunrise Beach

Blue text indicates Non-Participation in the NFIP.

- *Climax Springs, noted on FIS, disincorporated in 2015.*
- *Mack's Creek, noted on FIS, is a CDP.*

FLOOD INSURANCE STUDY



CAMDEN COUNTY, MISSOURI AND INCORPORATED AREAS

Community Name	Community Number
CAMDEN COUNTY UNINCORPORATED AREAS	290789
CAMDENTON, CITY OF	290742
*CLIMAX SPRINGS, VILLAGE OF	290978
FOUR SEASONS, VILLAGE OF	290979
*LAURIE, CITY OF	290976
LINN CREEK, CITY OF	290053
MACKS CREEK, VILLAGE OF	290054
OSAGE BEACH, CITY OF	290671
SUNRISE BEACH, CITY OF	290977

*Non-Floodprone Community



Federal Emergency Management Agency

FLOOD INSURANCE STUDY NUMBER
29029CV000B

Revised: April 18, 2018



Our Agenda

Project Goals;

Where We've Been;

Where We Are;

Where We're Going;

Flood Risk Review #2 (FRR#2) Meeting Agenda

- Project Goals
- Where We've Been
 - Data and Processes used to develop Flood Risk Data #1
- Where We Are
 - New Data and Updated Flood Risk Data #2
- Where We're Going
 - Review of Flood Risk Review Data #2
 - 30 Day Comment Period – an opportunity for input on the updated data
 - How to make comments: Outreach Site, email, phone call, postal mail
 - Future Production of Preliminary Maps and Flood Insurance Study
 - Post Preliminary Processing – Due Process and Final Mapping
 - Additional Flood Risk Products (Rasters)

Website to view Draft Data: <http://bit.ly/MOSEMAOutreach>
or on smart phone or tablet: http://bit.ly/mobile_MOSEMAOutreach



For questions contact:

Sydney Roberts
sydney.roberts@sema.dps.mo.gov 573-526-9383
or Stephen Noe
stephen.no@wsp.com (cell) 615-430-0456

Develop LiDAR Stream Networks



- Flow Paths and Stream Lines developed from Hydro-Enforced LiDAR
- Smaller Threshold for Contributing Drainage Area
 - 1 sq. Mile
 - 2 sq. Mile
 - 3 sq. Mile
 - ½ sq. Mile
 - ¼ sq. Mile
- FEMA extents
 - 40-acre drainage
 - 10-acre drainage
 - 1-acre drainage

Our Agenda

Project Goals;



Where We've Been;

Where We Are;

Where We're Going;

Flood Risk Review #2 (FRR#2) Meeting Agenda

- Project Goals
- Where We've Been
 - Data and Processes used to develop Flood Risk Data #1
- Where We Are
 - New Data and Updated Flood Risk Data #2
- Where We're Going
 - Review of Flood Risk Review Data #2
 - 30 Day Comment Period – an opportunity for input on the updated data
 - How to make comments: Outreach Site, email, phone call, postal mail
 - Future Production of Preliminary Maps and Flood Insurance Study
 - Post Preliminary Processing – Due Process and Final Mapping
 - Additional Flood Risk Products (Rasters)

Website to view Draft Data: <http://bit.ly/MOSEMAOutreach>

or on smart phone or tablet: http://bit.ly/mobile_MOSEMAOutreach



For questions contact:

Sydney Roberts
sydney.roberts@sema.dps.mo.gov 573-526-9383
or Stephen Noe
stephen.no@wsp.com (cell) 615-430-0456




Where We've Been;

- Project Initiation Kickoff Meeting held on March 9, 2021.
- Tasks completed to date include:
 - Acquire Base Map
 - Perform Field Survey
 - Develop Topographic Data
 - Develop Hydrologic Data
 - Develop Hydraulic Data
 - Develop Floodplain Data
 - FRR#1 Meeting –March 7, 2023
 - Addressing Comments
 - FRR#2 Meeting - Today

**Data
Development
with 2D
Modeling!**

Acquire Basemap Information



- **Aerials** by default are the USGS National Map
- **Roads** by default are MODOT and MO GIS
- **Political Boundaries** by default are MO State GIS Clearinghouse (MSDIS)

Develop Terrain

The Basics of Collecting LiDAR Data

LiDAR data from an airborne platform is collected using laser transmission and receiving technology in tandem with precise position and navigation systems. Each point is attributed with an X, Y, and Z value derived from the calculated time difference between the transmission and reception of a reflected laser pulse.




A laser transmitter emits laser pulses, which return to the LiDAR sensor after the pulses reflect off of a surface.

Field Survey Collection



Roads and other Infrastructure Crossings

Collect survey data where natural or man-made situations are obstructing the flow of the stream.



Red streams on the map










Cross-Section Accuracies



Why 2D Modeling?


- Two-Dimensional (2D) modeling is the **new industry standard** for riverine modeling.
- Advances in computer technology along with increased **accuracy** of data have driven this change.
- The goal of the hydraulic model is to accurately simulate actual flow paths, storage and depths.
- Less assumptions are made resulting in improved accuracy.
- High visual graphic output of 2D models enhances communication.
- Accurate representations for complex conditions where water does not travel directly downstream.

Benefits of 2D Hydraulic Modeling

Hydraulic Variables	One-dimensional (1D) Modelling*	Two-dimensional (2D) Modelling*	Stream Near You
Flow direction	<i>Assumed</i> by user	<i>Computed</i>	
Flow paths	<i>Assumed</i> by user	<i>Computed</i>	
Channel roughness	<i>Assumed</i> constant between cross sections	<i>Assumed</i> at each element	
Ineffective (blocked) flow areas	<i>Assumed</i> by user	<i>Computed</i>	
Flow contraction and expansion through bridges	<i>Assumed</i> by user	<i>Computed</i>	
Flow velocity	<i>Averaged</i> at each cross section <i>Assumed</i> in one direction	Magnitude and direction <i>Computed</i> at each element	
Flow distribution	<i>Assumed</i> based on conveyance	<i>Computed</i> based on continuity	
Water surface elevation	<i>Assumed</i> constant across cross sections	<i>Computed</i> at each element	
Momentum	Not accounted for	<i>Computed</i> at each element	

Statewide 2D by 2027 is the Goal!

State of Missouri 2D Modeling Coverage



**Osage River
Watershed is
completed!**



What's Important?


- **Volume of Runoff**
- **Timing of Runoff**
- **Geometric Accuracy of Flow Paths**
- **Geometric Descriptions of any Restrictions**
- **Volume of Ponding**

Missouri Modeling Goal: *To develop data-driven models that are easy to update as data changes.*


Two Dimensional Parameters


Hydro Connections

- Dams
- Berms
- Roads
- Railroads
- Any raised ground in the digital LiDAR that has a culvert or bridge



Example






Two-Dimensional Model Parameters

Example

Break Lines


- Railroads
- Levees
- Agricultural Berms
- Dams
- MoDOT Roads
- County Roads
- Farm Roads



High Points – Water flows under / through.

What is a MESH?


- Railroads
- Levees
- Agricultural Berms
- Dams
- MODOT Roads
- County Roads
- Farm Roads



Two-Dimensional Model Set Up

Mesh

- With the input 2D area boundaries, land use data and terrain data, a 2D computational mesh can be developed.
- HEC-RAS uses a finite-volume solution scheme.
- For each cell, with 3 to 8 sides, the cross-section information is derived at the faces of the cell with storage information developed within the cell's area.




Unstructured Computational Mesh with Detailed Terrain Data developed from LiDAR

Hydrology – Volume of Runoff

- How much of the rainfall makes it to the creek, stream, or river?
- Rainfall is captured by:
 - The soil (we assume it's not too dry and not too wet)
 - The vegetation (plants and trees capture a large amount of rainfall that eventually evaporates)
 - And depressions in the ground (sinkholes too)
- What gets by all these traps goes to the channel!



Soil Classification Data



Hydrologic Soil by Groups – A, B, C and D


Land Use

- Local Land Use Plans
- National Land Use Dataset
- Enhancements from Aerials


NLCD Land Cover Classification Legend

11	Open Water
12	Perennial Ice/ Snow
21	Developed, Open Space
22	Developed, Low Intensity
23	Developed, Medium Intensity
24	Developed, High Intensity
31	Barren Land (Rock/Sand/Clay)
41	Deciduous Forest
42	Evergreen Forest
43	Mixed Forest
51	Dwarf Scrub*
52	Shrub/Scrub
71	Grassland/Herbaceous
72	Sedge/Herbaceous*
73	Lichens*
74	Moss*
81	Pasture/Hay
82	Cultivated Crops
90	Woody Wetlands
95	Emergent Herbaceous Wetlands

* Alaska only




Compute Curve Numbers



Summary of Curve Number Values with the Associated Land Use and Soil Data


Landuse Description	Hydrologic Soil Group			
	A	B	C	D
Developed, Open Space	51	68	79	84
Developed, Low Intensity	57	72	81	86
Developed, Medium Intensity	77	85	90	92
Developed, High Intensity	89	92	94	95
Deciduous Forest	30	55	70	77
Shrub/Scrub	43	65	76	82
Herbaceous	43	65	76	82
Hay/Pasture	49	69	79	84
Cultivated Crops	65	75	82	86
Woody Wetlands	36	60	73	79
Emergent Herbaceous Wetlands	36	60	73	79
Open Water	98	98	98	98

Annual Precipitation





Rainfall Frequency and Amounts


(1% 24hr event)



Varies from -0.5 inches to +1.0 inches



NOAA Atlas 14




Precipitation-Frequency Atlas of the United States

Volume 8 Version 2.0: Midwestern States
(Colorado, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Oklahoma, South Dakota, Wisconsin)

Sanja Petica, Deborah Martin, Sandra Pavlovic, Ishani Roy, Michael St. Laurent, Carl Toppauk, Dale Urrut, Michael Yelka, Geoffrey Bonnin

U.S. Department of Commerce
National Oceanic and Atmospheric Administration
National Weather Service
Silver Spring, Maryland, 2013

Atlas 14 24-Hour 1% Rainfall Depths



The rainfall depths data for each county is leverage data obtained from NOAA


https://hdsc.nws.noaa.gov/hdsc/pfds/pfds_map_cont.html

2D Hydrology

Excess Rainfall

- A Type II distribution was selected for the rainfall hyetograph
- The excess rainfall is the amount that leaves the mesh cell.

Excess Rainfall Hyetograph, Plotted with the Rainfall Hyetograph, developed with SCS methodology



Hydraulics – Timing of Runoff

- How high will all that water get once it gets to the creek, river, stream, bridge, culvert, or road?
- The height of the water surface is determined by:
 - The slope of the ground (how steep or flat is the stream?)
 - The vegetation (plants and trees provide obstructions that slow down the water which makes it go higher)
 - How confined is the channel? (Is it wide or narrow?)
 - Infrastructure obstacles (How many road crossings?)




Digital description of ground for water to flow from one place to another that determines the direction and path, accounts for roughness, volume of attenuation, time to travel with a result of the predicted WSEL at a point of interest.


Detailed Landuse

Model Landuse Layers for CN per Mesh

Detailed per New Aerials



National Landuse Layer



Examples


Table 13: Roughness Coefficients

Flooding Source	Channel "n"	Overbank "n"
Bear Creek	0.013-0.045	0.013-0.16
Bear Creek Tributary 20	0.013-0.045	0.013-0.16
Bear Creek Tributary 22	0.013-0.045	0.013-0.16
Bear Creek Zone A Streams	0.013-0.045	0.013-0.16
Big Creek	0.013-0.045	0.013-0.16
Davis Branch	0.013-0.045	0.013-0.16
East Middle Chariton Watershed Zone A Streams	0.013-0.045	0.013-0.16
Fabius Watershed Zone A Streams	0.013-0.045	0.013-0.16

Building Footprint Extraction from LiDAR – 3D Features



Aerial View




Terrain View


Building Footprints in the Model

- View of the 3D Buildings in the model


Without the mesh



With the mesh




- Fluvial flooding only.
- Data along studied streams.
- Event-based analyses.



Analysis and Model Extents

Foundation model for use by other state and federal agencies.




- Fluvial and pluvial flooding.
- Data for entire watershed.
- Probabilistic analyses.

Question ?

Why is my regulatory floodplain different from the model results?


Red is Pluvial and is the flows to the SFHAs on Floodplain Maps – Not Regulatory




Green is Fluvial and will be the SFHAs on Floodplain Maps - Regulatory

Why are the BFE lines curved?

We will have **Evaluation Lines** (cross-sections) going forward....



Floodplain vs. Floodway



Red streams will have a Floodway

Our Agenda

Project Goals;

Where We've Been;

Where We Are;

Where We're Going;



Flood Risk Review #2 (FRR#2) Meeting Agenda

- Project Goals
- Where We've Been
 - Data and Processes used to develop Flood Risk Data #1
- Where We Are
 - New Data and Updated Flood Risk Data #2
- Where We're Going
 - Review of Flood Risk Review Data #2
 - 30 Day Comment Period – an opportunity for input on the updated data
 - How to make comments: Outreach Site, email, phone call, postal mail
 - Future Production of Preliminary Maps and Flood Insurance Study
 - Post Preliminary Processing – Due Process and Final Mapping
 - Additional Flood Risk Products (Rasters)


Website to view Draft Data: <http://bit.ly/MOSEMAOutreach>

or on smart phone or tablet: http://bit.ly/mobile_MOSEMAOutreach



For questions contact:

Sydney Roberts
sydney.roberts@sema.dps.mo.gov 573-526-9383
or Stephen Noe
stephen.no@wsp.com (cell) 615-430-0456






Where We Are;

Flood Risk Review Meeting #2 - Today

- Reviewing the working-set of Flood Risk Data and providing comments!

- Your comments are welcome now and you are encouraged to provide input!


Comments Received



Example of addressing comments

“Check cell size for street overflow”.


Cell size decreased and breaklines added for overflow area.



This example is in Pulaski County


USACE Bathymetry Data received

Riverine bathymetry refers to the measurement and mapping of the depth of rivers and lakes




USACE Bathymetry Data received


Riverine bathymetry refers to the measurement and mapping of the depth of rivers and lakes





Osage River




Grand Glaize Creek




Grand Glaize Creek





Niangua River basin



Gravois Creek



Linn Creek



Flood Risk Review Meeting

What is the purpose of a Flood Risk Review Meeting?

- Why do we do this work?
 - It is so we can update your communities' flood risk and assessment data.

- Why has this County been selected?
 - Many of the communities previously mapped by the National Flood Insurance Program (NFIP) have information on their DFIRM maps that are over 30 years old.
 - Better data and science is available to produce more accurate flood data, and provide better data to communicate risk..

- Why are you important to this process?
 - You understand the flood risk across the county
 - Your experience and knowledge increases the value of the data

30-Day Comment Period

30-Day Comment Period Flood Risk Review Meeting

- We want your input on these maps.
 - This is your opportunity to have a say in what the end results look like and the best opportunity to achieve those changes by front porch conversations
 - If you provide us feedback at this stage, we can and will work with you to address your concerns and incorporate them into the models.
 - The 30-day comment period begins today.

Some Items to Review

- Hydroconnectors
- Breaklines
- Areas that flood that are not within flood risk plotted areas.
- Areas plotted within flood risk areas that do not flood.
- Points of highwater for a particular previous flood event.



Our Agenda

Project Goals;

Where We've Been;

Where We Are;

★ Where We're Going;

Flood Risk Review #2 (FRR#2) Meeting Agenda

- Project Goals
- Where We've Been
 - Data and Processes used to develop Flood Risk Data #1
- Where We Are
 - New Data and Updated Flood Risk Data #2
- Where We're Going
 - Review of Flood Risk Review Data #2
 - 30 Day Comment Period – an opportunity for input on the updated data
 - How to make comments: Outreach Site, email, phone call, postal mail
 - Future Production of Preliminary Maps and Flood Insurance Study
 - Post Preliminary Processing – Due Process and Final Mapping
 - Additional Flood Risk Products (Rasters)

Website to view Draft Data: <http://bit.ly/MOSEMAOutreach>

or on smart phone or tablet: http://bit.ly/mobile_MOSEMAOutreach



For questions contact:

Sydney Roberts
sydney.roberts@sema.dps.mo.gov 573-526-9383
or Stephen Noe
stephen.no@wsp.com (cell) 615-430-0456



Where We're Going!


Future tasks to complete the project:

- Develop the draft FIRM database (*Summer 2025*)
- Preliminary Flood Insurance Rate Map (FIRM) and Flood Insurance Study (FIS) Production (*Fall 2025/Winter 2026*)
- Hold CCO Meeting (***front porch opportunities closing***) (*Spring 2026*)
- Begin Formal Appeal Process (***front porch over***) (*Summer 2026*)
- Letter of Final Determination (LFD) issued and formal ordinance and map adoption begins (*Winter 2026*)

Still lots of opportunities to change the data....


Life Cycle of a Floodplain Mapping Project

Today




FRR #2 meeting is where we are

Preliminary Map Products and Communications



Fall 2025 and Winter 2025/2026


Post Preliminary Process Meetings and Communications




Summer 2026
Through
Summer 2027

Automated Map Production (AMP)

Traditional Example



AMP Example



Cross Sections or No Cross Sections?


Evaluation Lines are the new Cross Sections

- WSEL Contours of shorelined SFHA
- Density depends on slope of WSEL and mapping standards.
- Minimum is to have an evaluation line no further apart than 1" of map scale (500 to 1000 ft).

Evaluation Lines


2D to Regulatory

No cross-sections like we have in 1D
Interconnected Cells and Cell Faces




Vs.

Cross-sections are the modeling base unit.
Can be incorporated directly into the regulatory
maps



Reviewing the Updates

User Guide: Missouri SEMA Outreach Site



We're sending
this user guide
to help navigate
how to review
your updated
data.....

Flood Risk Data Review Process

- We want your input on these maps.
 - This is your opportunity to have a say in what the end results look like and the best opportunity to achieve those changes by front porch conversations
 - If you provide us feedback at this stage, we can and will work with you to address your concerns and incorporate them into the draft flood risk data!
 - The 30-day comment period begins today.
 - You'll receive an electronic notification stating the actual ending date for comments, which should be in May.

Some Items to Review

- Hydroconnectors
- Breaklines
- Areas that flood that are not within flood risk plotted areas.
- Areas plotted within flood risk areas that do not flood.
- Points of highwater for a particular previous flood event.
- Changes that occurred with the 6.0 model updates.

Some Tools to Assist with Communications

Outreach Website

Barton
Bates
Benton
Butler
Caldwell
Callaway

1st Click on "Link"


Project Status is the only layer defaulted

Folders
1_Discovery_Meeting
All_Hazard_Risk_Data

Files
BentonCo_MO_SID620...
PMP Osage Plus Wate...


<http://bit.ly/MOSEMAOutreach>

http://bit.ly/mobile_MOSEMAOutreach



FRR#2 Data


We'll demonstrate this live!




Updated Proposed SFHA

Effective Flood Risk Data to Updated Flood Risk Data

Example




Changes Since Last FIRM (CSLF)



Example


Water Surface Elevations (WSELs)

Point and Click



Example

Using the WSELS



If you need assistance.....

If you need help navigating these maps via the website, please call:

Sydney Roberts at 573-526-9383,

or

Stephen Noe at 615-430-0456

